

Taulukko

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
2024		
1.1. 23.00	-21	14.8
2.1. 00.00	-20.8	13.67
2.1. 01.00	-19.7	10.84
2.1. 02.00	-19.4	13.73
2.1. 03.00	-18.8	11.04
2.1. 04.00	-19	12.18
2.1. 05.00	-19.7	10.72
2.1. 06.00	-19.8	11.43
2.1. 07.00	-19.1	11.47
2.1. 08.00	-19.3	10.57
2.1. 09.00	-20.4	10.53
2.1. 10.00	-20.7	11.58
2.1. 11.00	-20	12.08
2.1. 12.00	-19.5	13.11
2.1. 13.00	-19.1	10.01
2.1. 14.00	-19.2	12.3
2.1. 15.00	-19.7	10.86
2.1. 16.00	-20.4	11.57
2.1. 17.00	-21.2	11.37
2.1. 18.00	-21.6	12.61
2.1. 19.00	-21.7	13.97

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
2.1. 20.00	-22.2	12.51
2.1. 21.00	-21.8	14.16
2.1. 22.00	-21.5	11.62
2.1. 23.00	-21.9	13.23
3.1. 00.00	-21.8	12.41
3.1. 01.00	-20.9	11.37
3.1. 02.00	-20.9	13.4
3.1. 03.00	-21.7	12.08
3.1. 04.00	-20.8	12.74
3.1. 05.00	-21.4	10.89
3.1. 06.00	-20.6	11.34
3.1. 07.00	-20.9	11.78
3.1. 08.00	-21.2	11.08
3.1. 09.00	-21.2	11.92
3.1. 10.00	-21.9	11.63
3.1. 11.00	-19.9	10.78
3.1. 12.00	-20.5	11.38
3.1. 13.00	-20.5	10.36
3.1. 14.00	-20.5	12.98
3.1. 15.00	-19.2	11.22
3.1. 16.00	-19.8	10.24
3.1. 17.00	-20.3	12

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
3.1. 18.00	-20.6	10.71
3.1. 19.00	-21	11.95
3.1. 20.00	-20.8	11.49
3.1. 21.00	-21.5	11.97
3.1. 22.00	-21.9	11.9
3.1. 23.00	-21.6	10.95
4.1. 00.00	-21.7	10.61
4.1. 01.00	-20.4	7.21
4.1. 02.00	-19.9	10.96
4.1. 03.00	-20.8	9.71
4.1. 04.00	-21.5	7.49
4.1. 05.00	-21.8	8.49
4.1. 06.00	-21.9	6.58
4.1. 07.00	-22.1	7.05
4.1. 08.00	-22.5	6.99
4.1. 09.00	-22.5	6.02
4.1. 10.00	-22.1	8.61
4.1. 11.00	-21.6	7.2
4.1. 12.00	-21.2	9.17
4.1. 13.00	-20.8	7
4.1. 14.00	-19.8	9.49
4.1. 15.00	-19.9	8.51

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
4.1. 16.00	-20.6	7.87
4.1. 17.00	-21	9.49
4.1. 18.00	-21.1	7.55
4.1. 19.00	-20.5	6.09
4.1. 20.00	-19.4	6.83
4.1. 21.00	-18.7	6.7
4.1. 22.00	-18.3	5.98
4.1. 23.00	-18.7	5.72
5.1. 00.00	-20.1	5.7
5.1. 01.00	-20.6	5.05
5.1. 02.00	-20.8	7.54
5.1. 03.00	-21	6.92
5.1. 04.00	-20.9	5.5
5.1. 05.00	-20.6	6.5
5.1. 06.00	-19.8	4.92
5.1. 07.00	-19.1	5.21
5.1. 08.00	-18.9	5.02
5.1. 09.00	-19.2	5.5
5.1. 10.00	-19.2	5.41
5.1. 11.00	-18.7	5.41
5.1. 12.00	-17.9	4.91
5.1. 13.00	-17.6	5.82

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
5.1. 14.00	-17.9	6.35
5.1. 15.00	-18.3	5.84
5.1. 16.00	-18.4	5.16
5.1. 17.00	-18.5	5.66
5.1. 18.00	-18.4	5.98
5.1. 19.00	-18.1	6
5.1. 20.00	-17.7	8.19
5.1. 21.00	-17.7	7
5.1. 22.00	-17.6	7.1
5.1. 23.00	-17.7	6.14
6.1. 00.00	-17.6	5.23
6.1. 01.00	-17.6	6.42
6.1. 02.00	-17.7	6.95
6.1. 03.00	-17.8	7.23
6.1. 04.00	-18	5.89
6.1. 05.00	-18.2	5.95
6.1. 06.00	-18.3	6.19
6.1. 07.00	-17.9	5.66
6.1. 08.00	-17.8	6.07
6.1. 09.00	-18.2	6.88
6.1. 10.00	-18.1	7.1
6.1. 11.00	-17.7	5.72

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
6.1. 12.00	-17	8.04
6.1. 13.00	-16.9	6.8
6.1. 14.00	-16.6	8.14
6.1. 15.00	-16.8	10
6.1. 16.00	-17.3	8.3
6.1. 17.00	-17.9	8.87
6.1. 18.00	-18.2	8.6
6.1. 19.00	-18.8	8.01
6.1. 20.00	-19.2	6.9
6.1. 21.00	-19.6	8.52
6.1. 22.00	-20	7.9
6.1. 23.00	-20.3	7.89
7.1. 00.00	-20.9	6.37
7.1. 01.00	-21.8	7.69
7.1. 02.00	-21.9	8.36
7.1. 03.00	-22.2	7.48
7.1. 04.00	-23.6	5.92
7.1. 05.00	-23	6.78
7.1. 06.00	-24.5	5.13
7.1. 07.00	-24.8	6.55
7.1. 08.00	-24.2	6.81
7.1. 09.00	-23.9	5.5

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
7.1. 10.00	-24.7	5.68
7.1. 11.00	-22.5	7.24
7.1. 12.00	-22.4	7.11
7.1. 13.00	-20.7	6.83
7.1. 14.00	-17.3	8.18
7.1. 15.00	-18.1	6.93
7.1. 16.00	-20.2	6.56
7.1. 17.00	-20.3	6.42
7.1. 18.00	-21.9	6.29
7.1. 19.00	-21.4	6.84
7.1. 20.00	-22.1	6.71
7.1. 21.00	-19.3	10.99
7.1. 22.00	-18.3	8.08
7.1. 23.00	-18.1	8.56
8.1. 00.00	-17.4	7.51
8.1. 01.00	-17	8.19
8.1. 02.00	-16.2	8.18
8.1. 03.00	-14.2	7.99
8.1. 04.00	-13.3	5.27
8.1. 05.00	-12.6	4.37
8.1. 06.00	-11.4	6.88
8.1. 07.00	-10	5.82

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
8.1. 08.00	-8.5	6.45
8.1. 09.00	-8.1	4.86
8.1. 10.00	-7.7	5.64
8.1. 11.00	-7.2	5.05
8.1. 12.00	-6.3	5.18
8.1. 13.00	-5.5	6.14
8.1. 14.00	-4.8	6.68
8.1. 15.00	-4.2	5.66
8.1. 16.00	-3.6	4.87
8.1. 17.00	-3.4	6.29
8.1. 18.00	-3.4	5.49
8.1. 19.00	-3.5	6
8.1. 20.00	-3.8	6.58
8.1. 21.00	-4.2	5.45
8.1. 22.00	-4.5	5.54
8.1. 23.00	-4.7	5.8
9.1. 00.00	-4.4	5.66
9.1. 01.00	-4.1	4.92
9.1. 02.00	-3.8	6.42
9.1. 03.00	-3.4	4.59
9.1. 04.00	-2.8	5.48
9.1. 05.00	-1.9	4.28

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
9.1. 06.00	-1.2	6.59
9.1. 07.00	-0.8	4.21
9.1. 08.00	-0.5	3.83
9.1. 09.00	-0.2	4
9.1. 10.00	0.2	4.25
9.1. 11.00	0.4	3.8
9.1. 12.00	0.7	3.39
9.1. 13.00	0.8	3.11
9.1. 14.00	1.1	5.44
9.1. 15.00	1.3	4.11
9.1. 16.00	1.3	5.84
9.1. 17.00	1.4	3.81
9.1. 18.00	1.3	7.36
9.1. 19.00	1	5
9.1. 20.00	1.3	5.51
9.1. 21.00	1.2	3.97
9.1. 22.00	0.9	6.67
9.1. 23.00	0.5	3.92
10.1. 00.00	0.8	3.83
10.1. 01.00	0.8	4.58
10.1. 02.00	0.7	5.06
10.1. 03.00	0.7	3.82

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
10.1. 04.00	0.6	3.73
10.1. 05.00	0.5	3.89
10.1. 06.00	0.3	4
10.1. 07.00	0.3	3.71
10.1. 08.00	0.4	5.45
10.1. 09.00	0.4	4.12
10.1. 10.00	0.8	3.41
10.1. 11.00	0.9	4.22
10.1. 12.00	1.3	3.21
10.1. 13.00	1.4	4.09
10.1. 14.00	1.5	4.81
10.1. 15.00	1.4	4.32
10.1. 16.00	1.2	4.26
10.1. 17.00	1.1	4.54
10.1. 18.00	0.9	5.46
10.1. 19.00	0.9	4
10.1. 20.00	0.8	5.73
10.1. 21.00	0.9	3.39
10.1. 22.00	1.1	4.88
10.1. 23.00	1.1	6.34
11.1. 00.00	1.3	3.45
11.1. 01.00	0.8	3.38

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
11.1. 02.00	1.1	5.04
11.1. 03.00	0.9	5.15
11.1. 04.00	0.5	2.36
11.1. 05.00	0.1	4.23
11.1. 06.00	-0.5	3.88
11.1. 07.00	-1	4.51
11.1. 08.00	-2.1	3.68
11.1. 09.00	-3.2	4.61
11.1. 10.00	-4.7	4.4
11.1. 11.00	-5.3	4.36
11.1. 12.00	-5.6	4.79
11.1. 13.00	-5.9	4.97
11.1. 14.00	-6.4	6.21
11.1. 15.00	-6.9	5.24
11.1. 16.00	-7.8	6.2
11.1. 17.00	-8.5	7.44
11.1. 18.00	-9.1	5.25
11.1. 19.00	-9.7	5.28
11.1. 20.00	-11	7.13
11.1. 21.00	-11.1	5.14
11.1. 22.00	-11.5	4.91
11.1. 23.00	-11.8	6.63

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
12.1. 00.00	-11.8	5.59
12.1. 01.00	-12.3	5.74
12.1. 02.00	-12.3	6.6
12.1. 03.00	-12.2	5
12.1. 04.00	-12.1	5.81
12.1. 05.00	-11.5	4.53
12.1. 06.00	-10.8	5.57
12.1. 07.00	-10.4	5.29
12.1. 08.00	-9.5	5.16
12.1. 09.00	-8	5.55
12.1. 10.00	-7	5.36
12.1. 11.00	-6	4.81
12.1. 12.00	-5.7	4.94
12.1. 13.00	-5.8	4.96
12.1. 14.00	-6.5	7.54
12.1. 15.00	-7.4	5.4
12.1. 16.00	-7.7	3.38
12.1. 17.00	-10	7.77
12.1. 18.00	-11.4	6.36
12.1. 19.00	-12.8	6.62
12.1. 20.00	-13.7	5.87
12.1. 21.00	-14.5	6.25

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
12.1. 22.00	-15.9	7.25
12.1. 23.00	-16.5	5.47
13.1. 00.00	-17.1	6.2
13.1. 01.00	-19.2	5.24
13.1. 02.00	-19.1	7.68
13.1. 03.00	-19.8	5.38
13.1. 04.00	-19.1	6.06
13.1. 05.00	-19.6	6.27
13.1. 06.00	-17.2	5.7
13.1. 07.00	-15.8	4.98
13.1. 08.00	-14.6	5.77
13.1. 09.00	-14.1	4.91
13.1. 10.00	-12.7	5.1
13.1. 11.00	-12	3.65
13.1. 12.00	-9.4	4.49
13.1. 13.00	-8.2	3.78
13.1. 14.00	-8.2	5.24
13.1. 15.00	-8	5.5
13.1. 16.00	-7.4	5.81
13.1. 17.00	-7.2	4.77
13.1. 18.00	-7	7.22
13.1. 19.00	-6.9	4.3

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
13.1. 20.00	-6.8	5.23
13.1. 21.00	-7	5.39
13.1. 22.00	-7.2	5.41
13.1. 23.00	-7	4.15
14.1. 00.00	-7	6.06
14.1. 01.00	-7.3	3.27
14.1. 02.00	-7.9	5.21
14.1. 03.00	-8.7	5.42
14.1. 04.00	-8.4	3.16
14.1. 05.00	-8.2	4.52
14.1. 06.00	-8.2	4.33
14.1. 07.00	-8.2	4.35
14.1. 08.00	-8.3	5.03
14.1. 09.00	-8.3	4.54
14.1. 10.00	-8.2	3.34
14.1. 11.00	-8	5.1
14.1. 12.00	-7.5	5.23
14.1. 13.00	-7.3	4.47
14.1. 14.00	-7.2	6.22
14.1. 15.00	-7.1	5.31
14.1. 16.00	-7.2	3.65
14.1. 17.00	-7.3	6.12

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
14.1. 18.00	-7.5	6.01
14.1. 19.00	-7.7	7.44
14.1. 20.00	-7.8	6.45
14.1. 21.00	-8.3	6.58
14.1. 22.00	-8.8	5.75
14.1. 23.00	-9.5	6.71
15.1. 00.00	-9.9	4.7
15.1. 01.00	-9.7	3.78
15.1. 02.00	-9.4	7.37
15.1. 03.00	-8.8	3.52
15.1. 04.00	-8.2	5.27
15.1. 05.00	-8.4	4.5
15.1. 06.00	-8.5	4.72
15.1. 07.00	-8.5	6.02
15.1. 08.00	-8.7	6.11
15.1. 09.00	-9.3	4.11
15.1. 10.00	-10	5.91
15.1. 11.00	-10.1	4.14
15.1. 12.00	-10.5	5.91
15.1. 13.00	-11.1	5.33
15.1. 14.00	-12.1	7.96
15.1. 15.00	-13	5.55

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
15.1. 16.00	-13.1	6.68
15.1. 17.00	-13.3	6.16
15.1. 18.00	-14.3	7.71
15.1. 19.00	-15.1	6.12
15.1. 20.00	-15.5	6.22
15.1. 21.00	-15.9	7.24
15.1. 22.00	-16.5	6.64
15.1. 23.00	-16.3	8.13
16.1. 00.00	-16.6	5.57
16.1. 01.00	-17	6.64
16.1. 02.00	-17.9	7
16.1. 03.00	-18.3	6.97
16.1. 04.00	-18.1	7.23
16.1. 05.00	-17.6	8.08
16.1. 06.00	-16.9	5.2
16.1. 07.00	-16.4	5.92
16.1. 08.00	-15.8	5.31
16.1. 09.00	-16.1	5.9
16.1. 10.00	-16.4	5.08
16.1. 11.00	-16.4	5.22
16.1. 12.00	-16.4	5.85
16.1. 13.00	-16.4	5.94

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
16.1. 14.00	-16.3	8.14
16.1. 15.00	-16.5	6.77
16.1. 16.00	-17	5.53
16.1. 17.00	-18	6.58
16.1. 18.00	-18.9	6.88
16.1. 19.00	-18.6	7.14
16.1. 20.00	-19.4	6.48
16.1. 21.00	-20.1	8.03
16.1. 22.00	-21.2	7.94
16.1. 23.00	-20.9	6.36
17.1. 00.00	-22.7	6.15
17.1. 01.00	-23.3	6.18
17.1. 02.00	-22.6	7.69
17.1. 03.00	-20.3	5.66
17.1. 04.00	-17.6	7.37
17.1. 05.00	-16	4.92
17.1. 06.00	-16.6	6.14
17.1. 07.00	-17.7	5.72
17.1. 08.00	-18.7	6.24
17.1. 09.00	-18.8	5.24
17.1. 10.00	-18.8	6.8
17.1. 11.00	-16.7	5.12

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
17.1. 12.00	-13.4	5.94
17.1. 13.00	-10	4.54
17.1. 14.00	-11	6.64
17.1. 15.00	-9.1	6.78
17.1. 16.00	-8.6	5.26
17.1. 17.00	-8	5.17
17.1. 18.00	-8.3	5.5
17.1. 19.00	-7.6	6.36
17.1. 20.00	-7.3	4.92
17.1. 21.00	-7.3	5.54
17.1. 22.00	-7.1	4.54
17.1. 23.00	-7.3	3.81
18.1. 00.00	-7.2	4.61
18.1. 01.00	-7.3	2.83
18.1. 02.00	-7.2	6.65
18.1. 03.00	-6.6	4.57
18.1. 04.00	-6.5	4.39
18.1. 05.00	-6.8	3.47
18.1. 06.00	-6.5	4.8
18.1. 07.00	-6.4	2.98
18.1. 08.00	-6.6	5.47
18.1. 09.00	-6.7	3.28

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
18.1. 10.00	-6.7	4.41
18.1. 11.00	-6.5	4.17
18.1. 12.00	-6.3	4.81
18.1. 13.00	-6.2	3.85
18.1. 14.00	-6	6.82
18.1. 15.00	-5.8	5.64
18.1. 16.00	-5.5	3.23
18.1. 17.00	-5.4	6.55
18.1. 18.00	-5.3	3.67
18.1. 19.00	-5.1	4.59
18.1. 20.00	-4.6	6.57
18.1. 21.00	-5.2	6.92
18.1. 22.00	-5.5	3.28
18.1. 23.00	-6.1	5.84
19.1. 00.00	-6.2	3.36
19.1. 01.00	-7	4.62
19.1. 02.00	-6.7	5.27
19.1. 03.00	-6.7	5.13
19.1. 04.00	-6.9	3.81
19.1. 05.00	-6.9	2.5
19.1. 06.00	-7.1	5.72
19.1. 07.00	-7.6	4.41

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
19.1. 08.00	-7.9	7.36
19.1. 09.00	-8.3	4.25
19.1. 10.00	-8.3	4.92
19.1. 11.00	-9.8	4.13
19.1. 12.00	-10.5	4.57
19.1. 13.00	-10.6	7.14
19.1. 14.00	-10.7	6.43
19.1. 15.00	-11.4	4.09
19.1. 16.00	-12.4	7.07
19.1. 17.00	-13.7	6.61
19.1. 18.00	-14.3	6.74
19.1. 19.00	-14.7	7.38
19.1. 20.00	-15.9	5.18
19.1. 21.00	-16.2	7.35
19.1. 22.00	-16.8	6.19
19.1. 23.00	-17.7	6.19
20.1. 00.00	-18.2	5.45
20.1. 01.00	-18.5	6.35
20.1. 02.00	-18.7	7.67
20.1. 03.00	-18.2	6.8
20.1. 04.00	-20.2	4.94
20.1. 05.00	-20.2	6.11

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
20.1. 06.00	-19.2	6
20.1. 07.00	-17.6	6.37
20.1. 08.00	-16.5	6.85
20.1. 09.00	-16	5.6
20.1. 10.00	-15.7	5.7
20.1. 11.00	-14	5.77
20.1. 12.00	-14.4	5.24
20.1. 13.00	-13.8	6.35
20.1. 14.00	-13.2	7.2
20.1. 15.00	-14.1	7.29
20.1. 16.00	-14.6	6.18
20.1. 17.00	-15.1	6.84
20.1. 18.00	-16.4	5.95
20.1. 19.00	-18.3	8.95
20.1. 20.00	-18.4	7.58
20.1. 21.00	-17.6	6.9
20.1. 22.00	-19.7	5.6
20.1. 23.00	-20.9	7.07
21.1. 00.00	-19.6	7.37
21.1. 01.00	-21.1	9.23
21.1. 02.00	-20.3	7.65
21.1. 03.00	-21.2	7.08

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
21.1. 04.00	-19	4.67
21.1. 05.00	-16.4	6.09
21.1. 06.00	-12.7	5.19
21.1. 07.00	-11.9	4.62
21.1. 08.00	-9.9	5.94
21.1. 09.00	-8.7	4.79
21.1. 10.00	-7.6	4.86
21.1. 11.00	-5.7	5.92
21.1. 12.00	-4.2	6.92
21.1. 13.00	-3	6.12
21.1. 14.00	-2.3	7.58
21.1. 15.00	-2.1	5.64
21.1. 16.00	-1.6	5.72
21.1. 17.00	-1.1	8.27
21.1. 18.00	-0.8	7.04
21.1. 19.00	-0.8	5.44
21.1. 20.00	-0.7	6.29
21.1. 21.00	-0.4	6.74
21.1. 22.00	-0.4	5.61
21.1. 23.00	-0.5	6.64
22.1. 00.00	-1	4.88
22.1. 01.00	-1.5	4.74

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
22.1. 02.00	-1.7	6.56
22.1. 03.00	-1.5	6.02
22.1. 04.00	-1.2	4.67
22.1. 05.00	-0.9	5.49
22.1. 06.00	-0.5	6.32
22.1. 07.00	-0.4	4.69
22.1. 08.00	-0.3	5.67
22.1. 09.00	0	4.92
22.1. 10.00	-0.2	5.29
22.1. 11.00	-0.7	5.06
22.1. 12.00	-1.2	5.23
22.1. 13.00	-0.9	4.9
22.1. 14.00	-0.8	7.03
22.1. 15.00	-0.7	5.84
22.1. 16.00	-0.3	6.97
22.1. 17.00	-0.1	5.35
22.1. 18.00	0.1	7.04
22.1. 19.00	0.3	4.93
22.1. 20.00	0.6	5.91
22.1. 21.00	1	5.53
22.1. 22.00	1.7	7.57
22.1. 23.00	2.3	3.07

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
23.1. 00.00	2.7	3.34
23.1. 01.00	2.7	3.01
23.1. 02.00	2.7	5.65
23.1. 03.00	2.6	2.69
23.1. 04.00	2.8	3.31
23.1. 05.00	2.7	4.42
23.1. 06.00	2.8	4.52
23.1. 07.00	2.7	2.94
23.1. 08.00	2.4	3.99
23.1. 09.00	2.3	4.28
23.1. 10.00	2.4	2.81
23.1. 11.00	2.3	4.91
23.1. 12.00	2.1	3.69
23.1. 13.00	2.2	3.6
23.1. 14.00	2.2	5.77
23.1. 15.00	2	5.51
23.1. 16.00	2	5.69
23.1. 17.00	2	4.4
23.1. 18.00	2	5.77
23.1. 19.00	1.8	5.05
23.1. 20.00	1.7	4.85
23.1. 21.00	1.6	3.4

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
23.1. 22.00	1.5	6.04
23.1. 23.00	1.4	1.8
24.1. 00.00	1.2	3.37
24.1. 01.00	1.1	3.07
24.1. 02.00	0.9	4.74
24.1. 03.00	0.5	3.35
24.1. 04.00	0.3	2.4
24.1. 05.00	-0.2	4.33
24.1. 06.00	-0.3	2.33
24.1. 07.00	-0.4	3.2
24.1. 08.00	-0.6	4.47
24.1. 09.00	-0.6	2.5
24.1. 10.00	-0.7	4.14
24.1. 11.00	-0.7	2.78
24.1. 12.00	-0.3	3.48
24.1. 13.00	-0.1	3.95
24.1. 14.00	0.1	4.95
24.1. 15.00	0.2	4.15
24.1. 16.00	0.2	3.38
24.1. 17.00	0.1	5.04
24.1. 18.00	0.1	3.19
24.1. 19.00	0.1	3.47

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
24.1. 20.00	0.1	5.64
24.1. 21.00	0.1	2.83
24.1. 22.00	0.1	3.56
24.1. 23.00	0.1	4.43
25.1. 00.00	0.1	2.36
25.1. 01.00	0.1	4.13
25.1. 02.00	0	3.66
25.1. 03.00	0	4.58
25.1. 04.00	-0.2	3.08
25.1. 05.00	-0.3	2.01
25.1. 06.00	-0.3	5.46
25.1. 07.00	-0.3	2.96
25.1. 08.00	-0.6	3.4
25.1. 09.00	-1	3.53
25.1. 10.00	-1.2	3.81
25.1. 11.00	-1.1	4.49
25.1. 12.00	-1.2	3.96
25.1. 13.00	-1.2	3.37
25.1. 14.00	-1.2	5.74
25.1. 15.00	-1.6	4.88
25.1. 16.00	-2.5	3.93
25.1. 17.00	-3	5.38

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
25.1. 18.00	-3.6	6.51
25.1. 19.00	-4.1	4.86
25.1. 20.00	-4.6	3.91
25.1. 21.00	-5.1	5
25.1. 22.00	-5.7	4.96
25.1. 23.00	-6	5.3
26.1. 00.00	-6.6	2.95
26.1. 01.00	-6.7	5.09
26.1. 02.00	-7.1	4.96
26.1. 03.00	-7.4	3.71
26.1. 04.00	-7.5	5.87
26.1. 05.00	-8.4	3.8
26.1. 06.00	-8.5	4.67
26.1. 07.00	-9.3	6.04
26.1. 08.00	-10.4	3.62
26.1. 09.00	-10.4	5.05
26.1. 10.00	-10.1	6.5
26.1. 11.00	-9.3	4.15
26.1. 12.00	-8.7	5.56
26.1. 13.00	-7.9	4.62
26.1. 14.00	-7.8	7.05
26.1. 15.00	-7.4	5.75

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
26.1. 16.00	-8.4	7.37
26.1. 17.00	-9.1	5.53
26.1. 18.00	-8.5	5.1
26.1. 19.00	-7.3	3.91
26.1. 20.00	-6.6	6.34
26.1. 21.00	-5.5	3.16
26.1. 22.00	-5	4.73
26.1. 23.00	-4.9	4.46
27.1. 00.00	-5.2	2.96
27.1. 01.00	-5.4	5.78
27.1. 02.00	-5.5	6.11
27.1. 03.00	-5.5	4.86
27.1. 04.00	-5.4	4.33
27.1. 05.00	-5.5	3.96
27.1. 06.00	-5.5	3.96
27.1. 07.00	-5.4	3.42
27.1. 08.00	-5.4	4.39
27.1. 09.00	-5.4	3.45
27.1. 10.00	-5	3.71
27.1. 11.00	-4.6	4.68
27.1. 12.00	-4.2	3.62
27.1. 13.00	-3.8	5.34

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
27.1. 14.00	-3.5	5.8
27.1. 15.00	-3.4	4.94
27.1. 16.00	-3.4	4.88
27.1. 17.00	-3.5	2.85
27.1. 18.00	-3.4	5.54
27.1. 19.00	-3	4.5
27.1. 20.00	-2.7	3.57
27.1. 21.00	-2.3	4.73
27.1. 22.00	-2	3.99
27.1. 23.00	-1.3	4.2
28.1. 00.00	-0.9	4.6
28.1. 01.00	-0.6	4.04
28.1. 02.00	-0.5	6.36
28.1. 03.00	-0.5	6.33
28.1. 04.00	-0.1	5.14
28.1. 05.00	0	2.42
28.1. 06.00	0.1	2.8
28.1. 07.00	0.4	3.85
28.1. 08.00	0.4	3.94
28.1. 09.00	0.2	3.61
28.1. 10.00	0.5	3.46
28.1. 11.00	0.6	2.32

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
28.1. 12.00	1.4	4.06
28.1. 13.00	1.6	3.47
28.1. 14.00	1.6	5.38
28.1. 15.00	1.6	5.64
28.1. 16.00	1.8	4.2
28.1. 17.00	1.8	7.17
28.1. 18.00	1.8	6.07
28.1. 19.00	1.9	3.88
28.1. 20.00	1.8	6.32
28.1. 21.00	1.8	4.59
28.1. 22.00	1.8	3.1
28.1. 23.00	1.8	6.32
29.1. 00.00	2.1	3.66
29.1. 01.00	2.2	2.78
29.1. 02.00	2.2	5.93
29.1. 03.00	1.8	4.43
29.1. 04.00	1.5	2.95
29.1. 05.00	1.2	4.22
29.1. 06.00	1.2	3.92
29.1. 07.00	1.5	4.97
29.1. 08.00	1.5	2.87
29.1. 09.00	1.7	3.9

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
29.1. 10.00	2	4.15
29.1. 11.00	2.6	2.24
29.1. 12.00	2.9	3.37
29.1. 13.00	3.3	3.27
29.1. 14.00	3.6	5.25
29.1. 15.00	3.4	5.49
29.1. 16.00	2.8	2.29
29.1. 17.00	1.9	3.97
29.1. 18.00	0.7	5.08
29.1. 19.00	0.9	4.16
29.1. 20.00	1.3	4.79
29.1. 21.00	1	3.72
29.1. 22.00	1.2	5.11
29.1. 23.00	0	4.75
30.1. 00.00	-0.5	2.99
30.1. 01.00	-0.9	4.35
30.1. 02.00	-0.9	5.53
30.1. 03.00	-0.6	2.71
30.1. 04.00	-0.9	3.29
30.1. 05.00	-1.4	4.21
30.1. 06.00	-1.5	3.04
30.1. 07.00	-1.7	5.07

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
30.1. 08.00	-2.2	5.05
30.1. 09.00	-2.3	3.55
30.1. 10.00	-2.5	5.5
30.1. 11.00	-2.1	4.61
30.1. 12.00	-1.1	3.77
30.1. 13.00	0.6	4.85
30.1. 14.00	1.1	4.5
30.1. 15.00	0.4	4.66
30.1. 16.00	-0.3	4.87
30.1. 17.00	-1	4.44
30.1. 18.00	-1.2	4.46
30.1. 19.00	-1.7	4.49
30.1. 20.00	-1	4.17
30.1. 21.00	-0.5	5.5
30.1. 22.00	-0.6	2.93
30.1. 23.00	-0.6	4.12
31.1. 00.00	-0.4	3.8
31.1. 01.00	-0.1	1.81
31.1. 02.00	0.1	6.05
31.1. 03.00	0.1	4.12
31.1. 04.00	0.1	2.85
31.1. 05.00	0.2	5.59

Päivämäärä	Ulkolämpötila [°C]	Sähkönkulutus [kWh]
31.1. 06.00	0.2	2.9
31.1. 07.00	0.3	2.64
31.1. 08.00	0.4	4.59
31.1. 09.00	0.4	2.94
31.1. 10.00	0.5	4.18
31.1. 11.00	0.8	4.92
31.1. 12.00	1	4.35
31.1. 13.00	1.1	4.34
31.1. 14.00	1.2	5.6
31.1. 15.00	1.2	4.41
31.1. 16.00	1.2	6.48
31.1. 17.00	1	4.66
31.1. 18.00	1.3	5.17
31.1. 19.00	1.4	4.2
31.1. 20.00	1.4	5.13
31.1. 21.00	0.8	4.93
31.1. 22.00	0.2	3.34